

## Tools & Equipment Specials

### AUTUMN 2023

Sale pricing in effect until October 31, 2023

0

### 61" x 25" Workbench

#### 843005

- Heavy-duty 14-gauge steel and 1,300 lbs total capacity
- 61" x 25" heavy-duty work top
- Rear cross bracing provides additional protection against racking

### 61" x 31" Workbench w/Drawer 843006

- Heavy-duty 14-gauge steel and
- 1,400 lbs total capacity
- Large 61" x 31" heavy-duty work top
- Large heavy-duty 100-lb capacity locking drawer

6

### 72" x 31" Workbench w/Drawer

### 843007

- Heavy-duty, 14-gauge steel and 1,400 lbs total capacity
- Large 72" x 31" heavy-duty work top
- Large heavy-duty 100-lb capacity locking drawer



- Built-in adjustable shelf
- Removable polyurethane fluid container captures leaking fluids
- Large heavy-duty 100 lb-capacity locking drawer
- Heavy-duty 4" casters (2 with brakes)








• 1-1/2" table edge on 3 sides prevents small parts from rolling off the table onto the floor



- Adjustable height from 34" to 47.75"
- Centre post pad protects against body damage while working close to the vehicle
- 3" heavy-duty swivel casters (2 with brakes)
- 220-lb weight capacity
- Table Dimensions: 28.75" x 19.875" x 1.1"



### Tools & Equipment Specials



2

### 10-PC 1/2" DR **Twist Impact Socket Set** 610392 | PST-1012

- Specially designed sockets for removal only of severely rusted or rounded fasteners
- · Patented design bites harder as force is increased
- Dual-rated for SAE and Metric applications
- Heat-treated Cr-Mo steel
- Includes tommy bar for removing fastener from socket



682938

\$1195

LIST \$19.78

**21-PC Ball Joint** 

H3536 |

**Master Service Kit** 

· For press fit vehicle components

1/2" DR x 3/4" x 13/16"

Impact Flip Socket - 6 Point

682939

Sockets made of the finest-quality SAE 4140

recessed lugnuts where clearance is limited • Meets or exceeds U.S. Federal Specs:

\$519<sup>95</sup>

LIST \$848.07

Chrome Molybdenum high-impact steel

GGG-W-660A and ANSI specifications

Extra-thin walls allows access to all

1/2" DR x 19 mm x 21 mm

Impact Flip Socket - 6 Point

# \$117<sup>95</sup> LIST \$193.20

### 5-PC 1/2" DR Mag Wheel Impact Socket Set

### 610341 | MWPS-512

- Specially designed for use on high-end aluminum and chrome-plated wheels Premium-grade Chrome Molybdenum
- Steel for professional use

\$11<sup>95</sup>

LIST \$19.78

 Plastic sleeve and inner cap to prevent scratches

### Sale pricing in effect until October 31, 2023



\$**228**95 LIST \$373.52

\$**89**95

LIST \$148.50

\$779<sup>95</sup>

LIST \$1,269.27

### 10-PC 1/2" DR Torque Limiting **Impact Extension Socket Set**

### 682962 | JTLE-10S

- · Allows accurate application of torque to automobile wheel fasteners
- Prevents over-tightening or uneven tightening of lug nuts
- Extension stops turning once specified torque is achieved and
- absorbs any additional impact Contains one of each: 65 ft-lbs, 75 ft-lbs, 80 ft-lbs, 90 ft-lbs, 100 ft-lbs, 110 ft-lbs, 120 ft-lbs, 140 ft-lbs, 150 ft-lbs, 160 ft-lbs



-I E 7

10-PC 1/2" DR Torque Limiting

Socket and extension combined into

a single tool for user convenience

17 mm x 45 ft-lbs, 17 mm x 80 ft-lbs,

21 mm x 80 ft-lbs, 13/16" x 100 ft-lbs,

7/8" x 120 ft-lbs, 7/8" x 140 ft-lbs,

Impact Socket Set

682960 | JTLS-1210S

· Contains one of each:

19 mm (3/4") x 65 ft-lbs,

19 mm (3/4") x 80 ft-lbs, 19 mm (3/4") x 100 ft-lbs,

15/16" x 135 ft-lbs

### 5-PC 1/2" DR Torque Limiting **Impact Extension Set**

### 682961 | JTLE-58

- Allows accurate application of specific torque to automobile wheel fasteners
- · Prevents over-tightening or uneven tightening of lug nuts
- 5 extensions cover most passenger
- and light truck/SUV wheels Contains one of each:
- 65 ft-lbs, 80 ft-lbs, 100 ft-lbs, 120 ft-lbs, 140 ft-lbs

· Removes and installs ball joints, universal joints, truck brake anchor pins, and 4WD ball joints • Fits most Dodge<sup>®</sup> Ram, Ford<sup>®</sup>, GM<sup>®</sup>, IHC<sup>®</sup> and Jeep® 2 and 4 wheel drive pick-up trucks,






\$**238**95

LIST \$389.37

718918 | JTW-34600

\$**789**95 LIST \$1.298.12



- Dual ft-lbs and Nm scales
- Patented lock ring



600 ft-lbs

3/4" DR



250 ft-lbs

**Super Heavy Duty** 400450 | IW1SHD6 Produces 2,200 lbs of torque in reverse

 3-speed adjustment and feather-touch trigger Internally mounted throttle trigger for operator safety and convenience

1" DR Impact Wrench -

6" Extended Anvil –

Rotatable side handle for added comfort

SIO

## Tools & Equipment Specials



surewerx.com

SureWerx\*